



Modèle:

IDV75FR

Code commercial:

F062968

Notes générales

Comment utiliser la documentation technique

Vous trouverez ici quelques informations générale pour simplifier la consultation de la documentation technique:


1. Les modèles d'une même gamme utilisent les mêmes vues éclatées. De ce fait un modèle ne comporte pas obligatoirement tous les repères présents sur les vues éclatées.
2. Certaines pièces détachées ne sont pas dessinées sur les vues éclatées (livrets d'instructions, kit spécifiques,...). Vous trouverez les codes dans la liste de pièces détachées sous le repère 099 ou 999. Les livrets d'instructions sont en repère 000.
3. En haut à droite de chaque vue éclatée, le numéro de série indique le début de production de la gamme. Certains modèles comportent plusieurs vues éclatées avec des numéros de série différents. Dans ce cas, le numéro de série figurant sur l'appareil est nécessaire pour identifier la pièces détachée correcte.
4. Les vues éclatées peuvent avoir des mises à jour ultérieures après publication. Les nouvelles pièces détachées figurent alors sur cette nouvelle version. Le numéro de mise à jour se retrouve dans les quatre derniers chiffre du numéro de série en haut à droite de la vue éclatée.
5. La liste de pièces détachées d'une vue éclatée comporte les codes SAV du modèle. Ces codes comportent d'autres informations:

REF : Repère de la pièce sur la vue éclatée; REMPLACEMENT : liste de pièces de remplacement mais ayant les mêmes caractéristiques fonctionnelles.

CODE INDUSTRIEL: Liste des modèles sur lesquels est utilisée la pièce détachée; NOTICE TECHNIQUE: Code de la notice technique à consulter afin de prendre connaissance des modifications techniques et troiuver la bonne pièce détachée.
6. Certaines notices techniques sont générales et ne sont liées à aucune pièce détachée. Afin d'éviter toute confusion, il faut faire attention à la section notice et constamment vérifier les mises à jour de la documentation.
7. La couverture de la documentation indique le nom du modèle et son code commercial

07430-21

Vue éclatée



07430-21

07430-21 détachées

Liste de pièces

Repè	Code SAV	De S/N	À S/N	Remplacem	Description	Notice	Code
401	C00193759				3mm washer		
401	C00251135			1 x C00199818	m5 pozi screw		
401	C00252668				etrier		
401	C00255221			1 x C00292281	vented base		
404	C00142439				pied dryers		
405	C00143146			1 x C00282296	moteur 358 imep	n4410i00	
405	C00279461			1 x C00293493	moteur 358 vented welling (use	n4410i00	
408	C00194453				condensateur 8 uf (iskra)	n4410i00	
408	C00279463				condensateur 9uf	n4410i00	
409	C00112153				ventventilateur interieur		
410	C00116327				ventventilateur externe		
413	C00113038				kit entretoise tambour 'is60v'	n4414f01	
413	C00115748				broche panier	n4408i00	
413	C00305794				drum shaft kit (riveted drum plate)	n4414f01	
420	C00145648				garniture arriere panier 17mm		
421	C00145707				courroie h9 1860mm		
422	C00268377				tambour vent td galv 0.5mm		
423	C00112158			1 x C00141696	panneau posterieur vented		
423	C00298617				arrêt tambour	n4414a00	
424	C00142628				palier arriere		
424	C00250889				vis		
425	C00142631				support tambour		
426	C00095551				pin drive		
429	C00141697			1 x C00288486	joue		
430	C00258795		01206...		resistance 2.2kw	n4410i01	
430	C00282401	01207...			resistance 2.2kw (columbo	n4410i01	
432	C00112196	40501...			thermostats (one shot+cycling)	n4408a01	
432	C00262243	70802...			thermostats (one shot+cycling)	n4408a01	
442	C00095556				passe-cable		
445	C00095999				cable alimentation		
448	C00122256				vis 6x3/8		
448	C00271231			1 x C00301275	filtre antiparasites		
450	C00112184				flanc phd white		
450	C00122256				vis 6x3/8		
452	C00118929			1 x C00289203	cache plastique		


07430-21
détachées

Liste de pièces

Repè	Code SAV	De S/N	À S/N	Remplacem	Description	Notice	Code
463	C00141607			1 x C00286905	aube de tambour	n4412c01	
463	C00250835				screw 5 x 23		
463	C00286905				aube de tambour curved	n4412c01	
464	C00116328				carter de resistance (dbk)		
490	C00095530		31030...		relais	n4414b02	
491	C00241448			1 x C00122256	screw 6 x 3/8		
491	C00260451				entretoise		
999	C00142716				outil pour montage courroie dryer		
999	C00258633				tuyau evacuat		

07475-05

Vue éclatée



07475-05


07475-05
détachées

Liste de pièces

Repè	Code SAV	De S/N	À S/N	Remplacem	Description	Notice	Code
101	C00273666		21203...		tableau de bord idv75fr	n4412106	
101	C00295737		21203...		tableau de bord idv75fr (140	n4412106	
101	C00296311	21204...			tableau de bord idv75fr "b class"	n4412106	
103	C00095495				ressort bouton		
103	C00268928				bouton programmes (120mins)	n4412k00	
103	C00269362				bouton programmes	n4412k00	
107	C00268930				bouton blanc		
111	C00095500				interrupteur		
112	C00112121				interrupteur start		
113	C00208093				minuterie invensys zbn (120mins)	n4412k00	
113	C00295735				programmeur(16002841700	n4412k00	
125	C00116323				couvercle		
147	C00268981				bouton		

07475-15

Vue éclatée



07475-15

07475-15
détachées

Liste de pièces

Repè	Code SAV	De S/N	À S/N	Remplacem	Description	Notice	Code
201	C00116319				plinthe blanc indesit		
205	C00112209		40714...	1 x C00207652	filtre grey vented	n4411g04 n4414c04	
205	C00286297		40714...		filtre vented white	n4411g04 n4414c04 n4414h00	
205	C00306110	40715...			filtre vented	n4414h00	
206	C00095628				thermostat 58c		
207	C00095624				tuyau		
209	C00142613		40714...		feutre 14mm	n4414c04 n4414h00	
209	C00276750		40714...		feutre 16mm vented	n4409k00	
209	C00288108	40715...			feutre vented m2	n4414h00	
210	C00142144				panneau avant blanc		
210	C00252668				etrier		
212	C00112211				joint hublot vented grey	n4411g01	
212	C00286379			1 x C00112211	joint blanc	n4411g01	
213	C00112144				tampon palier		
215	C00141683	31002...			micro-retardateur (bitron)	n4414b02	
215	C00141694		31030...		fermeture porte (electronic/relay)	n4414b02	
221	C00268982				cadre de hublot white		
222	C00116336				contre cadre hublot 'is60v'		
223	C00112192				verre hublot 'as60vex'		
224	C00095987			1 x C00075325	charniere hublot		
225	C00112277				plaquette charniere		
233	C00142619				crochet porte		
257	C00261899	80317...	00106...	1 x C00278295	conduit air	n4409k00	
257	C00278295	00107...	40714...	1 x C00288738	conduit air gris 14mm seal rib	n4409k00 n4411g06 n4414c04	
257	C00286597	00107...	40714...		conduit air blanc	n4411g06 n4414c04 n4414h00	
257	C00306098	40715...			conduit air blanc	n4414h00	

Notices

n4408a01: VENTED TUMBLE DRYER HEATERS

From Serial Number 70802.0001, Two different Heater manufacturers were used in production. These DBK and Blaisi Heaters are totally interchangeable if replaced as an assembly.

But the thermostat kits for these Heaters are not interchangeable.

From Serial number 70802.0001, before a Stat. Kit is replaced the heater fitted to the machine must be identified first.

DBK heaters and covers are used as service spares.

Heater Identification

The DBK heater element wire is in a Flat Strip.

The Blasi heater element wire is Circular and There is a Blaisi Label on the Heater

For the Dryer to work correctly the correct Heater and Stat. Kit must always be fitted.

See "Parts List" to select required part.

n4408l00: DRUM ASSEMBLY WITH FIXED SHAFT

From Serial Number 80901.0001 a new drum with a fixed (Rivettted) shaft has been introduced in production, this drum is interchangeable and will be supplied as the service spare.

Please Note;

There are 2 drum shaft repair kits

Repair Kit for Drums with a Screwed Drum Shaft

Repair Kit for Drums with a Rivettted Drum Shaft

Select the correct kit from the parts list

Note: Only use the correct kit for the Drum fitted to the Dryer.

n4410i00: Introduction du moteur of Welling Type 358

A partir du 17/08/2010, numéro de série 00817.0001, introduction en production du moteur type 358 fabriqué par Welling. Ce moteur utilise un condensateur de 9µf.

Le moteur Welling 358 peut être utilisé en lieu et place du moteur type 358 fabriqué par IMEP, mais il convient d'y ajouter le condensateur 9µf.

Depuis décembre 2010, seul le moteur Welling est géré en SAV.

CONDENSATEURS

Sur la production avec moteurs Ana Imep, les condensateurs suivants ont été utilisés :

- 7.5 uf (produits 6 kg);
- 8.0 uf (produits 7 kg);
- 9 uf (produits 7,5 kg).

Tous les appareils équipés d'un moteur Ana Imep peuvent utiliser le condensateur 9uf.

Les moteurs Welling 358 ne doivent être équipés que du condensateur 9uf.

LES DEUX MOTEURS SONT INTERCHANGEABLES EN UTILISANT LE CONDENSATEUR APPROPRIÉ.

n4410l01: NEW VENTED MECHANICAL HEATER

FROM SERIAL NUMBER 01207.0000 A NEW HEATER WITH A COLOMBO CONNECTOR HAS BEEN USED IN PRODUCTION.

THIS NEW HEATER IS NOT INTERCHANGEABLE WITH THE PREVIOUS ONE.

SEE PARTS LIST FOR CORRECT PART.

n4411g01: VENTED DOOR SEALS


ON SELECTED TUMBLE DRYERS FROM JUNE 2011 THE DOOR SEAL COLOUR CHANGED FROM GREY TO WHITE. SELECTED THE CORRECT PART BY DESCRIPTION IN THE PARTS LIST

FROM MAY 2014 STOCK OF THE WHITE SEALS HAS BEEN EXHAUSTED SO ONLY GREY NOW AVAILABLE. THE WHITE SEALS HAVE BEEN SUPERSEDED AS THIS IS CONSIDERED A SUITABLE ALTERNATIVE

n4411g04: COLOUR CHANGE TO THE FILTER> VENTED DRYERS

FROM JUNE 2011 THE FLUFF FILTER FITTED TO VENTED TUMBLE DRYERS CHANGED IN PRODUCTION FROM GREY TO WHITE.

SELECTED THE CORRECT PART BY DESCRIPTION IN THE PARTS LIST



n4411g06: COLOUR CHANGE TO WHITE FRONT AIR DUCT

FROM JUNE 2011 THE FRONT AIR DUCT FITTED TO VENTED TUMBLE DRYERS CHANGED IN PRODUCTION FROM GREY TO WHITE.
SELECTED THE CORRECT PART BY DESCRIPTION IN THE PARTS LIST

n4412c01: VENTED TUMBLE DRYER DRUM LIFTER

From Sept 2011, a curved drum lifter, has been used in production, the new lifter is fully interchangeable with the original straight drum lifter, once stock of the straight drum lifter is exhausted, the curved drum lifter will become the Service Spare, for all production dates”.

n4412k00: ALTERNATIVE INDESIT VENTED TIMERS/CONSOLE CHANGES

DUE TO PRODUCTION SHORTAGES FROM SERIAL NUMBER 20730.0000 (JULY 30 2012) TO SERIAL NUMBER 21015.0000 (OCT 15 2012) A BITRON ELBI TIMER (16002841700) AND ASSOCIATED CONSOLE AND TIMER KNOB

HAS ALSO BEEN USED IN PRODUCTION.

THIS ELBI TIMER (16002841700) IS NOT INTERCHANGEABLE WITH THE PRODUCTION TIMERS.

THESE MACHINES CAN BE IDENTIFIED BY 16002841700 STAMPED ON THE TIMER AND THE CONSOLE MARKED TO 140 MINUTES

NORMAL PRODUCTION CONSOLES ARE MARKED TO 120 MINUTES DURING THIS PERIOD.

IN A PHASED INTRODUCTION STARTING NOVEMBER 2012 "B" ENERGY CONSOLE ASTHETHICS MARKED TO 140 MINUTES HAVE BEEN USED IN PRODUCTION.

n4412l06: VENTED CONSOLE AND TIMER CHANGES

DUE TO PRODUCTION SHORTAGES FROM SERIAL NUMBER 20730.0000 (JULY 30 2012) TO SERIAL NUMBER 21015.0000 (OCT 15 2013) AN BITRON ELBI TIMER (16002841700) AND ASSOCIATED CONSOLE AND TIMER KNOB HAS ALSO BEEN USED IN PRODUCTION.

THIS ELBI TIMER (16002841700) IS NOT INTERCHANGEABLE WITH THE PRODUCTION TIMERS.

THESE MACHINES CAN BE IDENTIFIED BY 16002841700 STAMPED ON THE TIMER AND THE CONSOLE MARKED TO 140 MINUTES

NORMAL PRODUCTION CONSOLES ARE MARKED TO 120 MINUTES DURING THIS PERIOD.

IN A PHASED INTRODUCTION STARTING NOVEMBER 2012 "B" ENERGY CONSOLE ASTHETHICS MARKED TO 140 MINUTES HAVE BEEN USED IN PRODUCTION.

n4414b02: DOOR RELAY REPLACED IN PRODUCTION

DURING OCTOBER 2013 THE DOOR RELAY AND ASSOCIATED DOOR SWITCH FITTED TO CERTAIN TUMBLE DRYERS IS NO LONGER USED IN PRODUCTION.

A BITRON DOOR SWITCH/LOCK ASSEMBLY REPLACES THE ORIGINAL DOOR RELAY AND DOOR SWITCH.

NOTE DURING OCTOBER 2013 THE TYPE OF DOOR LOCK WILL HAVE TO BE VISUALLY IDENTIFIED AS BOTH THE ORIGINAL DOOR LOCK AND RELAY AND THE BITRON DOOR SWITCH/LOCK HAVE BEEN USED IN PRODUCTION.

n4414c04: VENTED AIR DUCT

A NEW VENTED AIR DUCT, FILTER AND DRUM FRONT SEAL WERE USED IN PRODUCTION BETWEEN 7th OCTOBER AND 16th OCTOBER 2013 (sn 31007.0000 to sn 31016.9999)

DURING THESE DATES WHEN REQUIRING AN AIR DUCT, FILTER OR DRUM FRONT SEAL, PLEASE ORDER ALL 3 PARTS FROM THE PARTS LIST AND REPLACE ALL 3 PARTS.

FOR ALL OTHER DATES ONLY THE PART WANTED WILL BE REQUIRED.

n4414f01: TUMBLE DRYER DRUM SHAFT FIXING KITS

THERE ARE 2 TUMBLE DRYER DRUM SHAFT KITS.

C00113038 DRUMS WHERE THE DRUM SHAFT IS SCREWED

C00305794 DRUMS WHERE THE DRUM SHAFT IS RIVETTED.

THE CORRECT KIT MUST ALWAYS BE FITTED.

BOTH KITS CONSIST OF THE DRUM SHAFT/SUPPORT, DRIVE PIN FIXING SCREWS and REAR BEARING.

STARTING FROM JUNE 2014 THE DRUM SEALS WHICH WERE INCLUDED IN KIT C00113038 HAVE BEEN REMOVED.

n4414h00: VENTED AIR DUCT-FILTER FRONT SEAL

FROM JUNE 2011 THE FRONT AIR DUCT FITTED TO VENTED TUMBLE DRYERS CHANGED IN PRODUCTION FROM GREY TO WHITE.

ONCE STOCK OF THE GREY AIR DUCT IS EXHAUSTED, ONLY THE WHITE WILL BE THE SERVICE SPARE.

FROM JUNE 2014 IN A PHASED INTRODUCTION A NEW VENTED AIR DUCT, FILTER AND DRUM FRONT SEAL HAVE BEEN USED IN PRODUCTION.

THESE NEW PARTS ARE NOT INTERCHANGEABLE. SEE PARTS LIST

THE NEW AIR DUCT-FILTER-FRONT AXIAL SEAL WERE ALSO USED IN PRODUCTION BETWEEN 7th OCTOBER AND 16th OCTOBER 2013 (sn 31007.0000 to sn 31016.9999) ON THE MODELS LISTED BELOW.

IDVA735FR cc 62967

IDV75FR cc 62968

IDV75EU cc 62978

n4409k00: FRONT AIR DUCT & AIR DUCT SEAL

FRONT AIR DUCT SEAL

Both 14mm and 16mm Air Duct Seals have been used in production.

14 mm - used Before Serial No. 50501.0000 (May 2005) and After 00115.0001 (Jan 2010)

16 mm - used Between Serial No.s 50501.0001 (May 2005) and 00115.0000 (Jan 2010) - See note below

If replacing only the Seal - select the CORRECT size from the parts list.

AIR DUCT

White Air Ducts were used in production from 10601.0000 (June 2011), the only difference to the Grey Ducts is the colour change.

WHITE AIR DUCTS ONLY will become the only Service Air Duct Once Stock of the Grey Air Ducts is exhausted

If the original air duct is grey, the air duct kit is required which includes a white filter.

NOTE: ALL SERIAL NUMBERS:

If the AIR DUCT is being replaced you will require a 14mm Seal because the service replacement AIR DUCT is 14mm. See parts List


n4414a00: BUMP STOP

From the Autumn of 2013 2 Bump Stops were added to the rear panel.

Schémas électriques

Cod. 5407694

VENTED WITH A MECHANICAL TIMER AND DOOR OPENING RELAY




Légende

Légende: 5407694

Schémas électriques

Cod. 5407868

VENTED DRYER with Mechanical Timer & Thermal Start Relay / Door Latch



Légende


Légende: 5407868

Schémas électriques

Cod. 5407869

VENTED DRYER with Mechanical Timer & Solenoid Start Relay / Door Latch

5407869



Légende

Légende: 5407869